

# HSM VK 807 V



## Channel baling press HSM VK 807 V

For industrial applications with small material loads - Troughput up to approx. 28 m³/h


### Technical data

Order number:	6616000	Loading aperture width x Loading aperture length:	450 x 710 mm
Pressing power:	82 kN	Bale width x Bale height x Bale length:	500 x 500 x 400-800 mm
Specific pressing power:	32,8 N/cm²	Length x Width x Height:	4813 x 1188 x 2281 mm
Driving power:	4 kW	Weight:	2,35 t
Voltage / Frequency:	400 V / 50 Hz	Type of consumables:	Wire
Cycle time when idling vacío:	23,2 s	Press material:	Plastic film, Mixed paper, Cardboard
Volume throughput in idle operation (theor.):	28 m³/h		
Volume throughput at 50kg/m³ (theor.):	1.4 t/h		

### Product information



Particularly suitable for cardboard, films and bleeds of paper



Fully automatic vertical strapping with wire




Available as an option with manual strapping



### System solution

Integration into automated industrial production processes.



### Continuous loading

Suitable for continuous loading with conveyor belt, air feeding or similar.



### Compact bales

The bales can be stacked and are easy to transport.



### Automatic operation

Control of the pressing process via light barrier.



### Operating side

Can be fully integrated into existing workflows and processes. Operating side can be selected.



### Sturdy design

Very low space requirement thanks to compact and sturdy design.

