

HSM VK 807 V



Channel baling press HSM VK 807 V

For industrial applications with small material loads - Troughput up to approx. 28 m³/h


Technical data

Order number:	6616000	Loading aperture width x Loading aperture length:	450 x 710 mm
Pressing power:	82 kN	Bale width x Bale height x Bale length:	500 x 500 x 400-800 mm
Specific pressing power:	32,8 N/cm²	Length x Width x Height:	4813 x 1188 x 2281 mm
Driving power:	4 kW	Weight:	2,35 t
Voltage / Frequency:	400 V / 50 Hz	Type of consumables:	Wire
Cycle time when idling vacío:	23,2 s	Press material:	Plastic film, Mixed paper, Cardboard
Volume throughput in idle operation (theor.):	28 m³/h		
Volume throughput at 50kg/m³ (theor.):	1.4 t/h		

Product information



Particularly suitable for cardboard, films and bleeds of paper



Fully automatic vertical strapping with wire




Available as an option with manual strapping



System solution

Integration into automated industrial production processes.



Continuous loading

Suitable for continuous loading with conveyor belt, air feeding or similar.



Compact bales

The bales can be stacked and are easy to transport.



Automatic operation

Control of the pressing process via light barrier.



Operating side

Can be fully integrated into existing workflows and processes. Operating side can be selected.



Sturdy design

Very low space requirement thanks to compact and sturdy design.

