

HSM HL 7009



HSM HL 7009 horizontal baling press

This very compact, horizontal working counter plate press is suitable for large disposal tasks in retail and in small to medium central storages. The bales from a HL 7009 have a cross-section of 1100 x 1100 mm and a bale length of 1200 mm up to 600 kg in weight and therefore achieve an optimum HGV capacity. With the large bales from the HL 7009, you also save on handling expenses. The integrated hydraulic lifting/tilting device significantly reduces the number of people required to compact the recycling material.

Technical data

| | | | |
|--|-------------------------|--|--|
| Order number: | 6336124 | Bale width x Bale height x Bale length: | 1100 x 1100 x 1200 mm |
| EAN | 4026631065795 | Bale weight: | 600 kg |
| Pressing power: | 700 kN | Method of loading: | Lifting/tilting system, wire mesh cart |
| Specific pressing power: | 58 N/cm ² | Length x Width x Height: | 5992 x 2060 x 2394 mm |
| Driving power: | 11 kW | Weight: | 7334 kg |
| Voltage / Frequency: | 400 V / 50 Hz | Type of consumables: | Wire |
| Cycle time when idling vacío: | 47 s | Press material: | Plastic film, Mixed paper, Cardboard |
| Volume throughput in idle operation (theor.): | 42,97 m ³ /h | | |
| Loading aperture width x Loading aperture length: | 1020 x 900 mm | | |


Product information



Suitable for cardboard as well as film



Convenient and particularly fast loading via hydraulic lifting/tilting device



Also available as a variant with automatic start



Sturdy design

Very low space requirement thanks to compact and sturdy design.



Display and PLC

Multilingual operational guidance and Stored-program controller PLC.



Efficient truck loading

Optimised bale dimensions and bale weights for efficient truck loading.



Sliding door

Hydraulic sliding door for bale removal ensures optimum operating convenience and safety.



Pallet locking mechanism

Pallet locking mechanism for safe bale removal.



Strapping

Manual bale strapping with Quick-link wire.

