## HSM Pure 830 - 4.5 x 30 mm



## **Technical data**

Order number:	2383831	Intake width:	330 mm
EAN	4026631076432	Container volume /	150 l
Cutting type:	particle cut	collecting:	
Cutting size:	4,5 x 30 mm	Collection volume in sheets (80 g):	1860
Security level (DIN 66399):	E-3 F-1 O-3 P-4 T-4	Noise level (idle operation):	ca. 60 dB(A)
Cutting capacity in sheets 80g/m²:	33 - 35	Width x Depth x Height:	579 x 548 x 954 mm
Sheets oog, m :		Weight:	73 kg
Power consumption:	1920 W	0	0
Voltage / Frequency:	220-230 V / 50 Hz	Shredder material:	Paper, Staples and paper clips, Credit card, CD/DVD

## **Product information**



The induction-hardened, solid steel cutting rollers with a lifetime warranty can easily cope with staples and paper clips and guarantee durability.




The document shredder has a sturdy cabinet with a wooden floor and an extra-large door opening angle which facilitates removing and replacing the collecting bag.



After opening the door, the removable, collecting bag can be easily removed and emptied.





For continuous operation

The powerful motor ensures a high cutting capacity and reliable continuous operation.



**Energy-saving** 

The stand-by feature ensures a high degree of energy saving when the shredder is not in use.



Anti-paper jam function

The paper feed with overload protection reduces paper jams and sustains the high throughput of paper.




High level of user safety

User safety is paramount. A slight pressure on the safety element immediately stops the paper feed and prevents unintentional entry into the machine.



Automatic start/stop

The operation is very easy: the device starts automatically when fed with paper and automatically stops after shredding is complete.



**Mobile on castors** 

For convenience, there are castors on the document shredder so it is easy to move around.



Lifetime warranty on solid steel cutting rollers at security levels P-2 to P-5 (according to ISO/IEC 21964).

\* Nicht für / not for HSM Pure 830 / 94



